

T60

MAX



SPECIFICATIONS SHEET

LDV is a division of SAIC Motor, which is a Fortune Global 500 company and the 68th largest company in the world¹. SAIC Motor sells over 5 million vehicles annually and has joint ventures with Volkswagen and General Motors. In 2009 SAIC Motor acquired the commercial vehicles division of British Motor Corporation which included LDV.

1. 2022 Fortune Global 500.



LDV T60 MAX – TECHNICAL SPECIFICATIONS

LDV T60 MAX

MY2022				MY2023				
PRO		LUXE		PRO		LUXE		MEGA TUB
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto	Auto

Engine

Type	2.0 L Bi-Turbo Diesel Euro V Engine				2.0 L Bi-Turbo Diesel Euro V Engine				
Maximum Power (kW/rpm)	160 @ 4000				160 @ 4000				
Maximum Torque (Nm/rpm)	500 @ 1500-2400				500 @ 1500-2400				
Displacement (cc)	1996				1996				
Transmission	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	6SPD Manual	8SPD ZF Auto	8SPD ZF Auto
Compression Ratio	15:9:1				15:9:1				
No. of Valves	16				16				
No. of Cylinders	4				4				
Bore x Stroke (mm)	83 x 92				83 x 92				
Manual Shift Mode for Auto Models	-	✓	-	✓	-	✓	-	✓	✓
Eco/Power Mode	-	✓	-	✓	-	✓	-	✓	✓
Intelligent Real Time Torque on Demand	✓				✓				
2WD and 4WD high and low selector	✓				✓				

Ratios

1st	4.657	5.000	4.657	5.000	4.657	5.000	4.657	5.000	5.000
2nd	2.594	3.200	2.594	3.200	2.594	3.200	2.594	3.200	3.200
3rd	1.714	2.143	1.714	2.143	1.714	2.143	1.714	2.143	2.143
4th	1.231	1.720	1.231	1.720	1.231	1.720	1.231	1.720	1.720
5th	1.000	1.314	1.000	1.314	1.000	1.314	1.000	1.314	1.314
6th	0.806	1.000	0.806	1.000	0.806	1.000	0.806	1.000	1.000
7th	N/A	0.822	N/A	0.822	N/A	0.822	N/A	0.822	0.822
8th	N/A	0.640	N/A	0.640	N/A	0.640	N/A	0.640	0.640
Reverse	4.252	3.456	4.252	3.456	4.252	3.456	4.252	3.456	3.456
Final Drive	3.818	4.100	3.818	4.100	3.818	4.100	3.818	4.100	4.100
Low Range	2.480				2.480				

MY2022				MY2023				
PRO		LUXE		PRO		LUXE		MEGA TUB
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto	Auto






Steering, Suspension and Brakes

Steering – Rack and Pinion Hydraulic Power Assisted	✓	✓	✓	✓	✓	✓	✓	✓	✓
Front Suspension – Double-Wishbone (Heavy Duty)	✓	✓	–	–	✓	✓	–	–	–
Front Suspension – Double-Wishbone (Comfort)	–	–	✓	✓	–	–	✓	✓	✓
Rear Suspension – Leaf-Spring (Heavy Duty)	✓	✓	–	–	✓	✓	–	–	–
Rear Suspension – Leaf-Spring (Comfort)	–	–	✓	✓	–	–	✓	✓	✓
Brakes – Front, disc	✓	✓	✓	✓	✓	✓	✓	✓	✓
Brakes – Rear, disc	✓	✓	✓	✓	✓	✓	✓	✓	✓
Wheels and Tyres	17" x 7J Alloy Wheels with 245/65 R17 Tyres				17" x 7J Alloy Wheels with 245/65 R17 Tyres		19" x 7J Black Alloy Wheels with 255/55 R1 Tyres		
Spare Wheel	Steel 245/65R17				Steel 245/65R17				



Fuel and Emissions

Fuel Tank (Litres)	73				73				
Combined Fuel Consumption, L/100km ²	9.2	9.3	9.2	9.3	9.2	9.3	9.2	9.3	9.3
Carbon Dioxide Emissions (g/km)	243	244	243	244	243	244	243	244	244
Emissions Standard	Euro 5				Euro 5				

Exterior Colours

		
Blanc White	Maple Leaf Orange	Jewel Blue
		
Lava Grey	Metal Black	

Interior Colours


Black Cloth Trim (Pro)

Black Leather Trim (Luxe)

LDV T60 MAX

MY2022				MY2023				
PRO		LUXE		PRO		LUXE		MEGA TUB
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto	Auto

MY2022				MY2023				
PRO		LUXE		PRO		LUXE		MEGA TUB
Manual	Auto	Manual	Auto	Manual	Auto	Manual	Auto	Auto

Capacities, Dimensions and Weights

Approach Angle (unladen, degrees)	27			27			
Departure Angle (unladen, degrees)	24.2			24.2			
Front Overhang (mm)	942			942			
Front Track/Rear Track (mm)	1580/1580			1580/1580			
Ground Clearance (unladen) (mm)	215			215			
Overall Length (mm)	5365			5365		5680	
Overall Height (without Roof Rails) (mm)	1809			1809			
Overall Width (Exterior Mirrors extended) (mm)	2145			2145			
Overall Width (Exterior Mirrors folded) (mm)	1900			1900			
Rear Overhang (mm)	1268			1268			
Ramp Breakover Angle (degrees)	21.3°			21.3°			
Turning Circle (kerb to kerb) (m)	12.6			12.6			
Wading Depth (mm)	550			550			
Wheelbase (mm)	3155			3155		3470	
Tub Box Width – Pick-Up Box (mm)	1510			1510			
Tub Box Width of Rear Opening (mm)	1430			1430			
Tub Height – at Centreline of Axle (mm)	530			530			
Tub Length – at Floor (mm)	1485			1485		1760	
Tub Length – Top of Box (mm)	1525			1525		1800	
Tub Width – Between Wheel Arches (mm)	1131			1131			
Axle Load Capacity – Front (kg)	1320	1330	1360	1320	1330	1360	1400
Axle Load Capacity – Rear (kg)	1730	1720	1540	1730	1720	1540	1850
Gross Combined Vehicle Mass (kg)	6050		5900	6050		5900	
Gross Vehicle Mass (kg)	3050		2900	3050		2900	
Kerb Weight (kg) ³	2115		2150	2115	2125	2150	2170
Payload (kg) ³	935		750	935	925	750	730
Towing Capacity – Braked (kg)	3000			3000			
Max tow ball down weight (kg)	300			300			
Towing Capacity – Unbraked (kg)	750			750			

2nd Row Headroom (mm)	980	980
2nd Row Legroom (mm)	958	958
2nd Row Shoulder Room (mm)	1463	1463
Front Headroom (mm)	1010	1010
Front Legroom (mm)	1053	1053
Front Shoulder Room (mm)	1483	1483

Pro/Luxe – Tub Length (Top of Box)



All models



Mega Tub – Tub Length (Top of Box)

